

DERWENT-ACC-NO: 2000-186148

DERWENT-WEEK: 200214

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Liquid crystal display device

INVENTOR: BAN, A; FUJIOKA, S ; ISHII, Y ; KATAYAMA, M ;  
KUBO, M ; MARUYAMA, Y  
; NARUTAKI, Y ; SHIMADA, T ; YAMAKAWA, S ; YOSHIMURA,  
Y

PATENT-ASSIGNEE: SHARP KK[SHAF]

PRIORITY-DATA: 1998JP-0198459 (July 14, 1998) ,  
1997JP-0359047 (December 26,  
1997) , 1998JP-0053123 (March 5, 1998) , 1998JP-0142412  
(May 25, 1998)  
, 1998JP-0198464 (July 14, 1998) , 1998JP-0201392 (July 16,  
1998)  
, 1998JP-0204136 (July 21, 1998)

PATENT-FAMILY:

PUB-NO	PAGES	PUB-DATE	MAIN-IPC
JP 2000029010 A		January 28, 2000	N/A
008	G02F	001/1335	
KR 99063559 A		July 26, 1999	N/A
000			
US 6295109 B1		September 25, 2001	N/A
000	G02F	001/1335	
US 20010055082 A1		December 27, 2001	N/A
000			
KR 283275 B		March 2, 2001	N/A
000	G02F	001/1335	

G02F 001/1335

G02F 001/1335

## APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
JP2000029010A	N/A	
1998JP-0198459	July 14, 1998	
KR 99063559A	N/A	
1998KR-0060504	December 26, 1998	
US 6295109B1	CIP of	
1998US-0122756	July 27, 1998	
US 6295109B1	N/A	
1998US-0220792	December 28, 1998	
US 6295109B1	CIP of	US 6195140
N/A		
US20010055082A1	CIP of	
1998US-0122756	July 27, 1998	
US20010055082A1	Div ex	
1998US-0220792	December 28, 1998	
US20010055082A1	N/A	
2001US-0927547	August 13, 2001	
US20010055082A1	CIP of	US 6195140
N/A		
US20010055082A1	Div ex	US 6295109
N/A		
KR 283275B	N/A	
1998KR-0060504	December 26, 1998	
KR 283275B	Previous Publ.	KR 99063559
N/A		

INT-CL (IPC): G02F001/1335, G02F001/1343 , G02F001/137

RELATED-ACC-NO: 2000-058923, 2000-191067 , 2000-228272

ABSTRACTED-PUB-NO: JP2000029010A

## BASIC-ABSTRACT:

NOVELTY - The lagging axis of a phase difference board between a light polarizing unit and a liquid crystal layer, and the lagging axis of another phase difference board between another light polarizing unit and the liquid crystal layer are crossed orthogonally. DETAILED DESCRIPTION - A light polarizing unit is provided on the surface of a liquid crystal layer on a

substrate. Another light polarizing unit is provided on the surface of the liquid crystal layer opposing another substrate.

USE - None given.

ADVANTAGE - Offsets wavelength dependence of refractive index anisotropy of phase difference board. Obtains reflecting function and permeability function. Improves dark color display. Increases contrast of device. Obtains allowance amount corresponding to productivity. DESCRIPTION OF DRAWING(S) - The figure shows the top view of a liquid crystal display device.

ABSTRACTED-PUB-NO: US 6295109B

EQUIVALENT-ABSTRACTS:

NOVELTY - The gate wiring (3) and source wiring (9a) are arranged in orthogonally cross direction. The reflecting electrode (11) and permeable electrode (8a) connected electrically to drain electrode (9c) of TFT (7) in respective areas (A,B) form a pixel electrode. The reflecting and permeable electrodes have high optical reflecting efficiency. DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for LCD panel manufacturing method.

USE - In LCD panel used as permeability type and reflection type display or combined-use type used in OA apparatus such as PC, electronic notebook.

ADVANTAGE - Excels in utilization efficiency of perimeter light and illumination light and hence the display quality is stabilized. DESCRIPTION OF DRAWING(S) - The figure shows the top view of LCD panel. (3) Gate wiring; (7) TFT; (8a) Permeable electrode; (9a) Source wiring; (9c) Drain electrode; (11) Reflecting electrode; (A,B) Areas.

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

DESCRIPTION OF DRAWINGS

---

[Brief Description of the Drawings]

[Drawing 1] It is the cross section of the liquid crystal display of the operation gestalt 1 of this invention.

[Drawing 2] It is the plan of the liquid crystal display of the operation gestalt 1 of this invention, and the operation gestalt 2.

[Drawing 3] It is drawing showing the transparency state of the light in the reflective field of the liquid crystal display of the operation gestalt 1 of this invention.

[Drawing 4] It is drawing showing the transparency state of the light in the transparency field of the liquid crystal display of the operation gestalt 1 of this invention.

[Drawing 5] It is drawing showing the wavelength of the light when performing a black display, and the relation of permeability.

[Description of Notations]

- 1 Two Substrate
- 3 Reflector
- 4 Counterelectrode
- 5 Liquid Crystal Layer
- 6 Nine Polarizing plate
- 7 Ten  $\lambda/4$  board
- 8 Transparent Electrode

---

[Translation done.]